ELSEVIER

Neuroscience Letters 275 (1999) 228–231

Neuroscience Letters

Author Index to Volume 275

Aboufatima, R., Chait, A., Dalal, A., de Beaurepaire, R., Calcitonin microinjection into the periaqueductal gray impairs contextual fear conditioning in the rat, 101
Abraini, J.H., Campo, P., Kriem, B., Rostain, J.-C., Vincent, A., Sigmoidal admission rate-dependence of toluene narcotic potency in rats: comparison with nitrous oxide, 211
Achermann, P., see Borbély, A.A., 207
Aguirre, J.A., Cintra, A., Hillion, J., Narváez, J.A., Jansson, A, Antonelli, T., Ferraro, L., Rambert, F.A., Fuxe, K., A stereological study on the neuroprotective actions of acute Modafinil treatment on 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced nigral lesions of the male black mouse, 215
Aisen, P.S., see Mehta, P.D., 159
Aloe, L., see Bracci-Laudiero, L., 57
Amandusson, Å., see Kastrup, Y., 85
Ambrogini, P., see Cuppini, R., 29
Ambrosio, S., see Espejo, M., 13
Andersson, K., see Husemann, B., 53
Andreeva, N., see Husemann, B., 53
Anesetti, G., see Vazquez, C., 5
Antonelli, T., see Aguirre, J.A., 215
Arai, T., see Ikemune, K., 125

Baba, Y., see Ogawa, H., 61
Ballard, C., see Neill, D., 137
Beyer, C., see Raab, H., 21
Bisby, M.A., see Ma, W., 117
Blesa, R., see Ezquerra, M., 183
Blomqvist, A., see Kastrup, Y., 85
Borbély, A.A., Huber, R., Graf, T., Fuchs, B., Gallmann, E., Achermann, P., Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram, 207
Bracci-Laudiero, L., Aloe, L., Lundeberg, T., Theodorsson, E., Stenfors, C., Altered levels of neuropeptides characterize the brain of lupus prone mice, 57
Brück, W., see Kuhlmann, T., 191
Buekers, M., Montagne, G., de Rugy, A., Laurent, M., The regulation of externally paced human locomotion in virtual reality, 171
Burke, R.E., see Kholodilov, N.G., 105
Burkhard Mackensen, G., see Nellgård, B., 167
Bustini, M., see Stratta, P., 9

Campo, P., see Abraini, J.H., 211
Cecchi, C., Latorraca, S., Sorbi, S., Iantomasi, T., Favilli, F., Vincenzini, M.T., Liguri, G., Gluthatione level is altered in lymphoblasts from patients with familial Alzheimer's disease, 152
Chait, A., see Aboufatima, R., 101
Cheng, J.-T., see Huang, W.-C., 25
Chi, T.-C., see Huang, W.-C., 25
Cintra, A., see Aguirre, J.A., 215

Cottrell, G.A., see Gombos, Z., 33
Croning, M.D.R., see Fung, M.-L., 41
Cuevas, P., Reimers, D., Diaz, D., Lozano, R.M., Giménez-Gallego, G., Apoptosis of glioma cells induced by the fibroblast growth factor inhibitor 1,3,6-naphthalenetrisulfonate, 149
Cuppini, R., Sartini, S., Ambrogini, P., Fulgenzi, G., Graciotti, L., Rat motor neuron plasticity induced by dorsal rhizotomy, 29
Curran, M.D., see Neill, D., 137
Cutillas, B., see Espejo, M., 13

Dalal, A., see Aboufatima, R., 101
Dalton, A.J., see Mehta, P.D., 159
Daneluzzo, E., see Stratta, P., 9
de Beaurepaire, R., see Aboufatima, R., 101
de Rugy, A., see Buekers, M., 171
Diaz, D., see Cuevas, P., 149
Dringen, R., see Vogel, R., 97

Edwardson, J.A., see Neill, D., 137
Ekström, P.A.R., see Wiklund, P., 155
Emmerling, M.E., see Mehta, P.D., 159
Emoto, H., see Wu, Y.-L., 69
Espejo, M., Cutillas, B., Ventura, F., Ambrosio, S., Exposure of foetal mesencephalic cells to bone morphogenetic protein-2 enhances the survival of dopaminergic neurones in rat striatal grafts, 13
Ezquerra, M., Pastor, P., Valldeoriola, F., Molinuevo, J.L., Blesa, R., Tolosa, E., Oliva, R., Identification of a novel polymorphism in the promoter region of the *tau* gene highly associated to progressive supranuclear palsy in humans, 183

Favilli, F., see Cecchi, C., 152
Ferraro, L., see Aguirre, J.A., 215
Ficca, G., Gori, S., Ktonas, P., Quattrini, C., Trammell, J., Salzarulo, P., The organization of rapid eye movement activity during rapid eye movement sleep is impaired in the elderly, 219
Forsgren, S., see Westermark, T., 179
Franck, J., see Rosin, Å., 1
Fuchs, B., see Borbély, A.A., 207
Fulgenzi, G., see Cuppini, R., 29
Fung, M.-L., Croning, M.D.R., Haddad, G.G., Sodium homeostasis in rat hippocampal slices during oxygen and g lucose deprivation: role of voltage-sensitive sodium channels, 41
Fuwamoto, Y., see Nakamura, S., 222
Fuxe, K., see Aguirre, J.A., 215

Gallmann, E., see Borbély, A.A., 207
Gao, J., see Husemann, B., 53
Genda, Y., see Tohgi, H., 89
Georgieva, J., see Rosin, Å., 1
Giménez-Gallego, G., see Cuevas, P., 149

PII: S0304-3940(99)00838-1

ELSEVIER

Neuroscience Letters 275 (1999) 228–231

Neuroscience Letters

Author Index to Volume 275

Aboufatima, R., Chait, A., Dalal, A., de Beaurepaire, R., Calcitonin microinjection into the periaqueductal gray impairs contextual fear conditioning in the rat, 101
Abraini, J.H., Campo, P., Kriem, B., Rostain, J.-C., Vincent, A., Sigmoidal admission rate-dependence of toluene narcotic potency in rats: comparison with nitrous oxide, 211
Achermann, P., see Borbély, A.A., 207
Aguirre, J.A., Cintra, A., Hillion, J., Narváez, J.A., Jansson, A, Antonelli, T., Ferraro, L., Rambert, F.A., Fuxe, K., A stereological study on the neuroprotective actions of acute Modafinil treatment on 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced nigral lesions of the male black mouse, 215
Aisen, P.S., see Mehta, P.D., 159
Aloe, L., see Bracci-Laudiero, L., 57
Amandusson, Å., see Kastrup, Y., 85
Ambrogini, P., see Cuppini, R., 29
Ambrosio, S., see Espejo, M., 13
Andersson, K., see Husemann, B., 53
Andreeva, N., see Husemann, B., 53
Anesetti, G., see Vazquez, C., 5
Antonelli, T., see Aguirre, J.A., 215
Arai, T., see Ikemune, K., 125

Baba, Y., see Ogawa, H., 61
Ballard, C., see Neill, D., 137
Beyer, C., see Raab, H., 21
Bisby, M.A., see Ma, W., 117
Blesa, R., see Ezquerra, M., 183
Blomqvist, A., see Kastrup, Y., 85
Borbély, A.A., Huber, R., Graf, T., Fuchs, B., Gallmann, E., Achermann, P., Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram, 207
Bracci-Laudiero, L., Aloe, L., Lundeberg, T., Theodorsson, E., Stenfors, C., Altered levels of neuropeptides characterize the brain of lupus prone mice, 57
Brück, W., see Kuhlmann, T., 191
Buekers, M., Montagne, G., de Rugy, A., Laurent, M., The regulation of externally paced human locomotion in virtual reality, 171
Burke, R.E., see Kholodilov, N.G., 105
Burkhard Mackensen, G., see Nellgård, B., 167
Bustini, M., see Stratta, P., 9

Campo, P., see Abraini, J.H., 211
Cecchi, C., Latorraca, S., Sorbi, S., Iantomasi, T., Favilli, F., Vincenzini, M.T., Liguri, G., Gluthatione level is altered in lymphoblasts from patients with familial Alzheimer's disease, 152
Chait, A., see Aboufatima, R., 101
Cheng, J.-T., see Huang, W.-C., 25
Chi, T.-C., see Huang, W.-C., 25
Cintra, A., see Aguirre, J.A., 215

Cottrell, G.A., see Gombos, Z., 33
Croning, M.D.R., see Fung, M.-L., 41
Cuevas, P., Reimers, D., Diaz, D., Lozano, R.M., Giménez-Gallego, G., Apoptosis of glioma cells induced by the fibroblast growth factor inhibitor 1,3,6-naphthalenetrisulfonate, 149
Cuppini, R., Sartini, S., Ambrogini, P., Fulgenzi, G., Graciotti, L., Rat motor neuron plasticity induced by dorsal rhizotomy, 29
Curran, M.D., see Neill, D., 137
Cutillas, B., see Espejo, M., 13

Dalal, A., see Aboufatima, R., 101
Dalton, A.J., see Mehta, P.D., 159
Daneluzzo, E., see Stratta, P., 9
de Beaurepaire, R., see Aboufatima, R., 101
de Rugy, A., see Buekers, M., 171
Diaz, D., see Cuevas, P., 149
Dringen, R., see Vogel, R., 97

Edwardson, J.A., see Neill, D., 137
Ekström, P.A.R., see Wiklund, P., 155
Emmerling, M.E., see Mehta, P.D., 159
Emoto, H., see Wu, Y.-L., 69
Espejo, M., Cutillas, B., Ventura, F., Ambrosio, S., Exposure of foetal mesencephalic cells to bone morphogenetic protein-2 enhances the survival of dopaminergic neurones in rat striatal grafts, 13
Ezquerra, M., Pastor, P., Valldeoriola, F., Molinuevo, J.L., Blesa, R., Tolosa, E., Oliva, R., Identification of a novel polymorphism in the promoter region of the *tau* gene highly associated to progressive supranuclear palsy in humans, 183

Favilli, F., see Cecchi, C., 152
Ferraro, L., see Aguirre, J.A., 215
Ficca, G., Gori, S., Ktonas, P., Quattrini, C., Trammell, J., Salzarulo, P., The organization of rapid eye movement activity during rapid eye movement sleep is impaired in the elderly, 219
Forsgren, S., see Westermark, T., 179
Franck, J., see Rosin, Å., 1
Fuchs, B., see Borbély, A.A., 207
Fulgenzi, G., see Cuppini, R., 29
Fung, M.-L., Croning, M.D.R., Haddad, G.G., Sodium homeostasis in rat hippocampal slices during oxygen and g lucose deprivation: role of voltage-sensitive sodium channels, 41
Fuwamoto, Y., see Nakamura, S., 222
Fuxe, K., see Aguirre, J.A., 215

Gallmann, E., see Borbély, A.A., 207
Gao, J., see Husemann, B., 53
Genda, Y., see Tohgi, H., 89
Georgieva, J., see Rosin, Å., 1
Giménez-Gallego, G., see Cuevas, P., 149

PII: S0304-3940(99)00838-1

Gombos, Z., Mendonça, A., Cottrell, G.A., McIntyre Burnham, W., Ketamine and phenobarbital do not reduce the evoked-potential enhancement induced by electroconvulsive shock seizures in the rat, 33
Gori, S., see Ficca, G., 219
Graciotti, L., see Cuppini, R., 29
Graf, T., see Borbély, A.A., 207
Gross, J., see Husemann, B., 53

Haddad, G.G., see Fung, M.-L., 41
Hallbeck, M., see Kastrup, Y., 85
Hallett, M., see Mima, T., 77
Hamprecht, B., see Vogel, R., 97
Hashimoto, N., see Sugino, T., 145
Hattori, I., see Sugino, T., 145
Heldt, J., see Husemann, B., 53
Hermanson, O., see Kastrup, Y., 85
Hildebrand, C., see Mårtensson, L.G.E., 113
Hillion, J., see Aguirre, J.A., 215
Hirata, S., see Kastrup, Y., 85
Holmberg, P., see Westermark, T., 179
Honda, S., Nakajima, K., Nakamura, Y., Imai, Y., Kohsaka, S., Rat primary cultured microglia express glial cell line-derived neurotrophic factor receptors, 203
Honda, T., Takahashi, M., Sugiura, Y., Co-localization of the glial cell-line derived neurotrophic factor and its functional receptor c-RET in a subpopulation of rat dorsal root ganglion neurons, 45
Hori, A., Minato, K., Kobayashi, S., Warming-activated channels of warm-sensitive neurons in rat hypothalamic slices, 93
Horie, H., see Takano, M., 175
Huang, W.-C., Juang, S.-W., Liu, I.-M., Chi, T.-C., Cheng, J.-T., Changes of superoxide dismutase gene expression and activity in the brain of streptozotocin-induced diabetic rats, 25
Huber, R., see Borbély, A.A., 207
Husemann, B., Andreeva, N., Gao, J., Heldt, J., Andersson, K., Gross, J., Early hypoxia modulates the phenotype of dopaminergic cells in rat di- and mesencephalic cell cultures and induces a higher vulnerability of non-dopaminergic neurons to a second hypoxic exposure, 53

Iantomasi, T., see Cecchi, C., 152
Iijima, Y., see Takano, M., 175
Ikemune, K., Mitani, A., Namba, S., Kataoka, K., Arai, T., Functional changes of *N*-methyl-D-aspartic acid and α-amino-3-hydroxy-5-methyl-4-isoxazolepropionate channels in gerbil hippocampal CA1, in relation to postischemic enhancement of glutamate receptor-mediated responses, 125
Imai, S., Suzuki, T., Sato, K., Tokimasa, T., Effects of quinine on three different types of potassium currents in bullfrog sympathetic neurons, 121
Imai, Y., see Honda, S., 203
Ince, P., see Neill, D., 137
Inoue, S., see Takano, M., 175
Isaksson, T., see Westermark, T., 179
Ishikawa, Y., see Takano, M., 175
Ito, C., see Kubota, Y., 37

Jansson, A., see Aguirre, J.A., 215
Jaros, E., see Neill, D., 137
Juang, S.-W., see Huang, W.-C., 25
Juilfs, F., see May, T., 109
Justicia, C., see Planas, A.M., 141

Karolczak, M., see Raab, H., 21
Kastrup, Y., Hallbeck, M., Amandusson, Å., Hirata, S., Hermanson, O., Blomqvist, A., Progesterone receptor expression in the brainstem of the female rat, 85
Kataoka, K., see Ikemune, K., 125
Kholodilov, N.G., Oo, T.F., Burke, R.E., Synuclein expression is decreased in rat substantia nigra following induction of apoptosis by intrastriatal 6-hydroxydopamine, 105
Kimura, S., Yajiri, Y., Uchiyama, S., Takahashi, H.E., Shibuki, K., Nitric oxide release from substantia gelatinosa of the rat spinal cord in vitro, 199
Kjörell, U., see Westermark, T., 179
Klarner, A., see Koch, M., 195
Kobayashi, S., see Hori, A., 93
Koch, M., Klarner, A., Schnitzler, H.-U., Lesions of the rat piriform cortex prevent long-lasting sensorimotor gating deficits induced by stimulation of the ventral hippocampus, 195
Kohsaka, S., see Honda, S., 203
Kriem, B., see Abraini, J.H., 211
Ktonas, P., see Ficca, G., 219
Kubota, Y., Ito, C., Kuramasu, A., Sato, M., Watanabe, T., Transient increases of histamine H_1 and H_2 receptor mRNA levels in the rat striatum after the chronic administration of methamphetamine, 37
Kuhlmann, T., Brück, W., Immunoglobulins induce increased myelin debris clearance by mouse macrophages, 191
Kuramasu, A., see Kubota, Y., 37

Latorraca, S., see Cecchi, C., 152
Laurent, M., see Buekers, M., 171
Liguri, G., see Cecchi, C., 152
Lindholm, S., see Rosin, Å., 1
Liu, I.-M., see Huang, W.-C., 25
López-Pérez, S., see Morales-Villagrán, A., 133
Lozano, R.M., see Cuevas, P., 149
Lundeberg, T., see Bracci-Laudiero, L., 57

Ma, W., Bisby, M.A., Partial sciatic nerve transection induced tyrosine hydroxidase immunoreactive axon sprouting around both injured and spared dorsal root ganglion neurons which project to the gracile nucleus in middle-aged rats, 117
Marinangeli, M.G., see Stratta, P., 9
Mårtensson, L.G.E., Wärmländer, S., Hildebrand, C., Noradrenaline-induced pigment aggregating response of melanophores in normal, denervated and reinnervated cichlid skin, 113
Martinez Palma, L., see Vazquez, C., 5
Mawhinney, H., see Neill, D., 137
May, T., Juilfs, F., Wolffgramm, J., Effects of etonitazene consumption and abstinence on the signal transmission of μ-opioid receptors in brain membranes of rats, 109
McIntyre Burnham, W., see Gombos, Z., 33
McKeith, I., see Neill, D., 137
Medina-Ceja, L., see Morales-Villagrán, A., 133
Mehta, P.D., Patrick, B.A., Dalton, A.J., Aisen, P.S., Emmerling, M.E., Sersen, E.A., Wisniewski, H.M., Increased levels of tau-like protein in patients with Down syndrome, 159
Mendonça, A., see Gombos, Z., 33
Middleton, D., see Neill, D., 137
Mima, T., Simpkins, N., Oluwatimilehin, T., Hallett, M., Force level modulates human cortical oscillatory activities, 77
Minato, K., see Hori, A., 93

Mitani, A., see Ikemune, K., 125
Miura, Y., see Nellgård, B., 167
Mohr, B., see Pulvermüller, F., 81
Molinuevo, J.L., see Ezquerra, M., 183
Montagne, G., see Buekers, M., 171
Morales-Villagrán, A., López-Pérez, S., Medina-Ceja, L., Tapia, R., Cortical catecholamine changes and seizures induced by 4-aminopyridine in awake rats, studied with a dual microdialysis-electrical recording technique, 133
Morota, A., see Tanabe, N., 163
Morris, C., see Neill, D., 137

Nagane, Y., see Tohgi, H., 89
Nakajima, K., see Honda, S., 203
Nakamura, S., Sadato, N., Oohashi, T., Nishina, E., Fuwamoto, Y., Yonekura, Y., Analysis of music–brain interaction with simultaneous measurement of regional cerebral blood flow and electroencephalogram beta rhythm in human subjects, 222
Nakamura, Y., see Honda, S., 203
Namba, S., see Ikemune, K., 125
Narváez, J.A., see Aguirre, J.A., 215
Neill, D., Curran, M.D., Middleton, D., Mawhinney, H., Edwardson, J.A., McKeith, I., Ballard, C., Morris, C., Ince, P., Jaros, E., Perry, R., Risk for Alzheimer's disease in older late-onset cases is associated with HLA-DRB1*03, 137
Nellgård, B., Burkhard Mackensen, G., Sarraf-Yazdi, S., Miura, Y., Pearlstein, R., Warner, D.S., Pre-ischemic depletion of brain norepinephrine decreases infarct size in normothermic rats exposed to transient focal cerebral ischemia, 167
Nishina, E., see Nakamura, S., 222
Nozaki, K., see Sugino, T., 145

Ogawa, H., Baba, Y., Oka, K., Dendritic Ca^{2+} transient increase evoked by wind stimulus in the cricket giant interneuron, 61
Ohno, S., see Takano, M., 175
Oka, K., see Ogawa, H., 61
Oliva, R., see Ezquerra, M., 183
Oluwatimilehin, T., see Mima, T., 77
Oo, T.F., see Kholodilov, N.G., 105
Oohashi, T., see Nakamura, S., 222

Pastor, P., see Ezquerra, M., 183
Patrick, B.A., see Mehta, P.D., 159
Pearlstein, R., see Nellgård, B., 167
Perry, R., see Neill, D., 137
Peters, M.F., Ross, C.A., Preparation of human cDNAs encoding expanded polyglutamine repeats, 129
Planas, A.M., Soriano, M.A., Justicia, C., Rodríguez-Farré, E., Induction of cyclooxygenase-2 in the rat brain after a mild episode of focal ischemia without tissue inflammation or neural cell damage, 141
Prosperini, P., see Stratta, P., 9
Pulvermüller, F., Mohr, B., Schleichert, H., Semantic or lexico-syntactic factors: what determines word-class specific activity in the human brain? 81

Qiao, J.-T., see Ye, L., 187
Quattrini, C., see Ficca, G., 219

Raab, H., Karolczak, M., Reisert, I., Beyer, C., Ontogenetic expression and splicing of estrogen receptor-α and β mRNA in the rat midbrain, 21
Rambert, F.A., see Aguirre, J.A., 215
Rantapää-Dahlqvist, S., see Westermark, T., 179
Reimers, D., see Cuevas, P., 149
Reisert, I., see Raab, H., 21
Rodríguez-Farré, E., see Planas, A.M., 141
Rosin, Å.. Lindholm, S., Franck, J., Georgieva, J., Downregulation of kappa opioid receptor mRNA levels by chronic ethanol and repetitive cocaine in rat ventral tegmentum and nucleus accumbens, 1
Ross, C.A., see Peters, M.F., 129
Rossi, A., see Stratta, P., 9
Rostain, J.-C., see Abraini, J.H., 211
Ruusuvirta, T., From spatial acoustic changes to attentive behavioral responses within 200 ms in humans, 49

Sadato, N., see Nakamura, S., 222
Salzarulo, P., see Ficca, G., 219
Sango, K., see Takano, M., 175
Sarraf-Yazdi, S., see Nellgård, B., 167
Sartini, S., see Cuppini, R., 29
Sato, K., see Imai, S., 121
Sato, M., see Kubota, Y., 37
Sato, M., see Takano, M., 175
Schleichert, H., see Pulvermüller, F., 81
Schnitzler, H.-U., see Koch, M., 195
Sersen, E.A., see Mehta, P.D., 159
Shibuki, K., see Kimura, S., 199
Simpkins, N., see Mima, T., 77
Sorbi, S., see Cecchi, C., 152
Soriano, M.A., see Planas, A.M., 141
Stenfors, C., see Bracci-Laudiero, L., 57
Stratta, P., Daneluzzo, E., Prosperini, P., Bustini, M., Marinangeli, M.G., Rossi, A., Spatial working memory assessment by a visual-manual delayed response task: a controlled study in schizophrenia, 9
Sugino, T., Nozaki, K., Takagi, Y., Hattori, I., Hashimoto, N., Yodoi, J., Expression and distribution of redox regulatory protein, thioredoxin after metabolic impairment by 3-nitropropionic acid in rat brain, 145
Sugiura, Y., see Honda, T., 45
Suzuki, T., see Imai, S., 121

Takagi, Y., see Sugino, T., 145
Takahashi, H.E., see Kimura, S., 199
Takahashi, M., see Honda, T., 45
Takano, M., Sango, K., Horie, H., Sato, M., Iijima, Y., Ohno, S., Inoue, S., Ishikawa, Y., Diabetes alters neurite regeneration from mouse retinal explants in culture, 175
Tanabe, N., Morota, A., Sr^{2+} induce a release of divalent cation from internal Ca^{2+} store by nerve stimulation at frog neuromuscular junction, 163
Tanaka, M., see Wu, Y.-L., 69
Tang, X.C., see Xiao, X.Q., 73
Tapia, R., see Morales-Villagrán, A., 133
Theodorsson, E., see Bracci-Laudiero, L., 57
Tohgi, H., Utsugisawa, K., Nagane, Y., Yoshimura, M., Ukitsu, M., Genda, Y., The methylation status of cytosines in a τ gene promoter region alters with age to downregulate transcriptional activity in human cerebral cortex, 89
Tokimasa, T., see Imai, S., 121
Tolosa, E., see Ezquerra, M., 183
Toyama, K., see Yamada, K., 65
Trammell, J., see Ficca, G., 219

Uchiyama, S., see Kimura, S., 199
Ukitsu, M., see Tohgi, H., 89
Utsugisawa, K., see Tohgi, H., 89

Valldeoriola, F., see Ezquerra, M., 183
Vazquez, C., Anesetti, G., Martinez Palma, L., Transient expression of nitric oxide synthase in the hypoglossal nucleus of the rat during early postnatal development, 5
Ventura, F., see Espejo, M., 13
Vincent, A., see Abraini, J.H., 211
Vincenzini, M.T., see Cecchi, C., 152
Vogel, R., Wiesinger, H., Hamprecht, B., Dringen, R., The regeneration of reduced glutathione in rat forebrain mitochondria identifies metabolic pathways providing the NADPH required, 97

Wärmländer, S., see Mårtensson, L.G.E., 113
Warner, D.S., see Nellgård, B., 167
Watanabe, T., see Kubota, Y., 37
Wei, X., Zhang, Y., Zhou, J., Differential display and cloning of the hippocampal gene mRNAs in senescence accelerated mouse, 17
Westermark, T., Isaksson, T., Holmberg, P., Kjörell, U., Rantapää-Dahlqvist, S., Forsgren, S., Increase in bombesin-like peptides in the spinal cord after dexamethasone treatment of adrenalectomized rats, 179
Wiesinger, H., see Vogel, R., 97
Wiklund, P., Ekström, P.A.R., Protein kinase C inhibition has only a transient growth arresting effect on in vitro regenerating mouse sensory neurons, 155
Wisniewski, H.M., see Mehta, P.D., 159
Wolffgramm, J., see May, T., 109
Wu, Y.-L., Yoshida, M., Emoto, H., Tanaka, M., Psychological stress selectively increases extracellular dopamine in the 'shell', but not in the 'core' of the rat nucleus accumbens: a novel dual-needle probe simultaneous microdialysis study, 69

Xiao, X.Q., Yang, J.W., Tang, X.C., Huperzine A protects rat pheochromocytoma cells against hydrogen peroxide-induced injury, 73

Yajiri, Y., see Kimura, S., 199
Yamada, K., Yamamoto, N., Toyama, K., Development of membrane properties of rat neocortical neurons studied in organotypic cocultures, 65
Yamamoto, N., see Yamada, K., 65
Yang, J.W., see Xiao, X.Q., 73
Ye, L., Qiao, J.-T., Suppressive action produced by β-amyloid peptide fragment 31–35 on long-term potentiation in rat hippocampus is *N*-methyl-D-aspartate receptor-independent: it's offset by (−)huperzine A, 187
Yodoi, J., see Sugino, T., 145
Yonekura, Y., see Nakamura, S., 222
Yoshida, M., see Wu, Y.-L., 69
Yoshimura, M., see Tohgi, H., 89

Zhang, Y., see Wei, X., 17
Zhou, J., see Wei, X., 17